

## Safety Data Sheet

### 1. Identification of the substance/mixture and of the Company

- 1.1. Product identifier
- 1.1.1. Substance name **White Mineral Oil, Pharma Grade**
- 1.1.2. Trade name **Brandon Bespoke Knife Sharpening Honing Oil**
- 1.1.3. CAS 8042-47-5
- EINECS 232-455-8
- 1.1.4. REACH registration number 01-2119487078-27-0015
- 1.2. Relevant identified uses of the substance/mixture and use advised against
- Main uses: Cosmetic, Personal Care Products- Polymer Processing-Lubricants. For full list of identified uses of “White Mineral Oil” within the Highly Refined Oil Base category, see Annex 1 to this SDS.  
Other uses are not recommended.
- 1.3. Details of the supplier of the safety data sheet
- Proximo Group Ltd T/A Brandon Bespoke  
Kemp House, 160 City Road  
London  
EC1V 2 NX
- Tel: 01256 220471  
Email: info@brandonbespoke.co.uk  
SDS reference: H Croft
- 1.4. Emergency telephone number +44 (0) 1256 220 471

### 2. Hazard identification

#### 2.1. Classification of the substance

- 2.1.1. Regulation 1272/2008 EC (CLP):  
**Highly Refined Base Oils (Viscosity  $\leq 20.5 \text{ mm}^2/\text{s}$  at  $40^\circ\text{C}$ )**

State/form of the substance: liquid

#### Classification

The substance is classified as follows:

Precautionary statements:

IF SWALLOWED: Immediately seek medical advice.

Do NOT induce vomiting.

Dispose of contents/container to qualified official collector.

2.2. Other hazards None

---

### 3. Composition/information on ingredients

3.1. Substances White mineral oil, pharma grade  
Structural formula: not applicable, the substance is an  
UVCB substance, which cannot be represented by a  
simple or unique chemical structure.

Name	Product identification	%	Classification according to Regulation (CE) n. 1272/2008 [EU-GHS/CLP]
White Mineral Oil (Petroleum)	EINECS 232-455-8 REACH registration number 01-2119487078-27-0015	100	Asp. Tox 1; H 304

See Section 16 for the full text of H e Eu-phrases mentioned above.

3.2. Mixtures Not applicable

---

## 4. First-aid measures

### 4.1. Description of first aid measures

- |       |  |  |
|-------|--|--|
| 4.1.1 | Inhalation   | If an exposure to high-concentrated oil mists occurs, move the patient to fresh air. If liquid is inhaled, take to hospital immediately. |
| 4.1.2 | Skin contact   | Wash skin thoroughly with water and soap.  |
| 4.1.3 | Eye contact  | Immediately flush eyes with large amounts of water.  |
| 4.1.4 | Ingestion  | Do not induce vomiting. Call a physician.  |
| 4.2.  | Most important symptoms and effects, both acute and delayed                | Not applicable   |
| 4.3.  | Indication of any immediate medical attention and special treatment needed | Depending on the exposure level, it is recommended periodical medical checks.  |

---

## 5. Firefighting measures

- |       |   |  |
|-------|---|--|
| 5.1.  | Extinguishing media                                   |  |
| 5.1.2 | Recommended   | Carbon Dioxide, foams, powders.  |
| 5.1.3 | Forbidden   | Water jets.  |
| 5.2.  | Special hazards arising from the substance or mixture | In case of combustion, it may generate dangerous smokes of carbon monoxide, carbon dioxide, unburnt hydrocarbon flue gas and other pyrolysis products. |
| 5.3.  | Advice for firefighters                               |  |
| 5.3.1 | Personnel equipment                                   | Oxygen breathing set and protective clothes.   |
| 5.3.2 | Other recommendations                                 | Cool the tanks by water jet.   |

---

## 6. Accidental release measure

- |   |  |
|---|--|
| 6.1. Personal precautions, protective equipment and emergency procedure | Remove ignition sources, provision sufficient ventilation.<br>Wear suitable protective equipment to prevent any contamination of skin, eyes and personal clothing. |
| 6.2. Environmental precaution   | Do not allow product to enter sewers or watercourses.<br>Notify appropriate authorities in case of spill/leakage.  |
| 6.3. Methods and material for containment and clearing up               |  |
| 6.3.1 Advice to contain a spill   | Dike area of spill.  |
| 6.3.2 Advice to clean-up a spill  | Recover with any appropriate equipment.<br>Absorb with inert material, i.e.: sand.   |
| 6.4. Reference to other sections  | See Sections 8 and 13.   |

---

## 7. Handling and Storage

- |  |  |
|--|--|
| 7.1. Precautions for safe handling           |  |
| 7.1.1 Recommendations                        | Prevent oil mists from generating.<br>Reduce the release of substance to the environment.    |
| 7.1.2 Advice on general occupational hygiene | Don't have any food and beverage in working area. It is recommended to wash hands after use. |

Undress contaminated safety equipment before having any food.

7.2. Condition for safe storage, including any incompatibilities

Keep containers closed when not in use. Do not store open and unlabelled containers. Keep away from flammable materials. Do not store near heat, sparks, open flames and strong oxidizing agents.

7.3. Specific end use

See annex 1 and 2 to this SDS.

## 8. Exposure control/personal protection

8.1. Control parameter

8.1.1 National limit values

8.1.1.1 National occupational exposure limit in accordance with Directive 98/24/EC

TLV-TWA (A.G.C.I.H), oil mist: 5mg/m  
TLV-STEL (A.G.C.I.H), oil mist: 10 mg/m

8.1.1.2 National occupational exposure limit values in accordance with Directive 2004/37/EC

Not applicable

8.1.1.3 Any other national occupational exposure limit value

None

8.1.1.4 National biological limit values in accordance with Directive 98/24/EC

Not applicable

8.1.1.5 Any other national biological limit values

Not applicable

8.1.2 Information recommended monitoring procedures provided for the most relevant substances

Not available

Not available

8.1.3 Occupational exposure limit values

and/or biological limit values for these

Not applicable

8.1.4 Relevant DNELs and PNECs

See the annex 2 of this SDS.

8.1.5 Risk management measures

Not applicable

8.2. Exposure controls

8.2.1 Appropriate engineering controls

Prevent mist or aerosol from generating.

8.2.2 Individual protection measures, such as personal protective equipment

8.2.2.1 Eye/face protection

Goggles are suggested.

8.2.2.2	Skin protection	Wear standard working clothing.
8.2.2.3	Respiratory protection	Not necessary under normal use conditions.
8.2.2.4	Hand protection	Mineral oil-proof gloves are suggested.
8.2.3	Environmental exposure controls	Do not allow product to soak the soil or enter sewers or watercourses.

## 9. Physical and chemical properties

9.1.	Information on basic physical and chemical properties	
9.1.1	Appearance	
9.1.1.1	Physical state at 20°C and 1013 hPa	Liquid
9.1.1.2	Colour	Colourless
9.1.2	Odour	Odourless
9.1.3	Odour threshold	Not applicable
9.1.4	pH	Not applicable
9.1.5	Pour point	-12°C
9.1.6	Initial boiling point and boiling range	330 to 460°C
9.1.7	Flash point	180°C
9.1.8	Evaporation rate	Not applicable
9.1.9	Flammability (solid, gas)	Not applicable
9.1.10	Upper/lower flammability or explosive limits	Not applicable
9.1.11	Vapour pressure at 20°C	< 0.01 hPa
9.1.12	Vapour density	>2
9.1.13	Relative density at 15°C	865 Kg/m <sup>3</sup> Max
9.1.14	Solubility in water	Negligible
9.1.15	Partition coefficient: n-octanol/water	Not applicable
9.1.16	Auto-ignition temperature	320 to 355°C
9.1.17	Decomposition temperature	Not applicable
9.1.18	Viscosity at 40°C	14.0 to 16.0 mm <sup>2</sup> /s
	at 100°C	3.4 mm <sup>2</sup> /s Typical
9.1.19	Explosive properties	Not applicable
9.1.20	Oxidising properties	Not applicable
9.2.	Other Information	
9.2.1	Miscibility	Complete, in hydrocarbons and most of organic solvents.

---

## 10. Stability and reactivity

10.1.	Reactivity	Not reactive.
10.2.	Chemical stability	The product is stable under normal use and storage conditions.
10.3.	Possibility of hazardous reactions	None.
10.4.	Condition to avoid	Avoid exposure to heat, especially in closed containers.
10.5.	Incompatible materials	Strong oxidizing agents.
10.6.	Hazardous decomposition products	None.

---

## 11. Toxicological information

11.1.	Information on toxicological effects	
11.1.1	Acute toxicity	LD <sub>50</sub> (oral): > 5000 mg/Kg bw (not toxic) LD <sub>50</sub> (dermal): > 2000 mg/Kg bw (not toxic) LC <sub>50</sub> (inhalation): > 5000 mg/m <sup>3</sup> air (not toxic)
11.1.2	Skin corrosion/irritation	Not corrosive/not irritating
11.1.3	Serious eye damage/irritation	Not corrosive/not irritating
11.1.4	Respiratory or skin sensitisation	Not sensitising
11.1.5	Germ cell mutagenicity	Genetic toxicity: negative
11.1.6	Carcinogenicity	Not carcinogenic via oral, dermal or inhalation exposures (OECD 453).
11.1.7	Reproductive toxicity	Not reproductive toxicant (OECD 421) (route:oral): NOAEL: 1000 mg/Kg bw/day (route: dermal): NOAEL: 2000 mg/Kg bw/day

---

## 12. Ecological information

12.1.	Toxicity	Not toxic
12.2.	Persistence and degradability	Inherently biodegradable, but not readily biodegradable; moderately persistent, particularly in anaerobic conditions.
	Bioaccumulative potential	Being poorly soluble in water, its bio-availability to aquatic organisms is minimal and the bio-accumulation is unlikely.
12.3.	Mobility in soil	Not available

12.4.	Results of PBT and vPvB assessment	Not classified as PBT or vPvB substance
12.5.	Other adverse effects	None

### 13. Disposal information

All disposals must comply with Community regulations on this issue except for different National or Regional provisions.

13.1.	Waste treatment methods	<p>Do not dispose of the product, either new or used by discharging into sewers, tunnels, lakes, or water courses. Deliver to a qualified official collector.</p> <p>According to the actual use, this product can be classified with different codes, e.g. in groups 13 and 16 (Ref.: 2001/118/CE). It is not possible to give a general classification: the user has the responsibility of choosing the right code, considering the actual use of the product, alterations and contaminations.</p>
13.2.	Disposal of packaging	<p>Dispose of in a safe manner, in accordance with local regulations.</p> <p>Do not cut, weld, drill, burn or incinerate empty containers or drums unless they have been cleaned and declared safe.</p>

### 14. Transport information

14.1.	UN number	Not applicable
14.2.	UN proper shipping number	Not applicable
14.3.	Transport hazard class	Does not belong to any class of danger.
14.4.	Packing group	Not applicable
14.5.	Environmental hazards	None
14.6.	Special precautions for user	None
14.7.	Transport in bulk according to annex II of MARPOL 73/78 and the IBC Code	Not applicable



---

## 15. Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- National laws on classification, labelling and packaging of dangerous substances and mixtures (Adoption of Regulation 1272/2008/CE (CLP) and subsequent amendments).  
National adoption of Directives 89/391/CEE, 89/654/CEE, 89/655/CEE, 89/656/CEE, 97/42/CE, 99/38/CE, 99/92/CE, 2001/45/CE, 2003/10/CE, 2003/18/CE.  
National adoption of Directive 75/439/CEE, concerning disposal of used oils.  
Relevant national laws on recycling and re-use of waste materials.  
Relevant national laws on prevention of water Pollution.
- 15.2. Chemical safety assessment
- See annex 2

---

## 16. Other information

- 16.1. Additional Data
- The mineral base oils used for this final product are subjected to severe hydrogenation treatment, therefore their PAH content (Polycyclic Aromatic Hydrocarbon) according to IP 346 method, is negligible.  
Therefore, White Mineral Oil is not classified as carcinogenic according to Regulation 1278/2008/EC (CLP) and subsequent amendments.
- 16.2. Exposure Scenario
- Substance is classified solely referring to potential hazard of aspiration as liquid in airways (Table 9.1, all the ES numbers containing letter “b”). Therefore, Exposure Scenario only requires a qualitative chemical safety assessment (see Annex 2).
- 16.3. References to regulations on Material Safety Data Sheet issuing.
- This sheet has been compiled in compliance with Regulation (EC) 1907/2006-REACH and subsequent amendments and in compliance with Regulation (EC) 1272/2008-CLP and subsequent amendments.

## 16.4. Revision

This safety sheet has been updated according to the latest Community directives as far as new regulation references and data are concerned.

## 16.5. Full text of H e EUH-phrases:

Asp. Tox 1	Acute toxicity – Hazard Cat. 1.
H 304	May be fatal if swallowed and enters airways.

The information contained in this data sheet is considered to be accurate as of the revision date specified below. They have an informative purpose only and it is the user's obligation to evaluate and use this product properly.

RA.M.OIL S.p.A. shall not be responsible for abnormal use of the material and does not guarantee its specific properties.

**Date: 10/06/2020**

**Revision N°: 01**



## **SAFETY DATA SHEET**

### **WHITE MINERAL OIL PHARMA GRADE**

**Viscosity  $\leq 20.5 \text{ mm}^2\text{s}$  at  $40^\circ\text{C}$**

#### **Annex 1**

Below you will find a table (table 9.1) with Identified Use Description and Exposure Scenario Number Key.

Use Descriptor System (SU, PC, PROC, AC, ERC), can be obtained via the following link:

<http://echa.europa.eu/guidance-documents/guidance-on-information-requirements-and-chemical-safety-assessment>